

A red line and a green line intersect in the upper left corner. In the bottom right corner, there is a blue hatched triangle and a red triangle.

**모든 연구의 궁극적인 목적은
객관성이 아니라 진실이다**

Helene Deutsch

A large red triangle in the top left corner and a small green triangle in the bottom left corner.

I. 인용과 참고문헌

인용

- 저자의 논변을 강화, 이해시키는 수단
- 논문의 신뢰도를 높이는 수단
- 인용한 저자의 권위를 통해 논문의 타당성과 정확성을 강조
- 다른 연구자들의 견해와 비교하여 결론과 주장이 옳음을 강조

김규태 외. 이공계 글쓰기 달인. 서울 : 에세, 2010

인용

- 다른 연구자의 연구방법, 아이디어, 결과등을 인용할때 반드시 출처를 밝힘
- 저술의 일부분이나 아이디어를 자신의 것처럼 사용하면 표절
- 인용논문 저자들의 연구와 업적의 영향력 지수를 높이는 중요한 역할

Jennifer Peat. 알면 쉬워지는 의학논문 작성법. 서울 : 군자출판사, 2012

인용원칙, 1

- 반드시 필요할때만 인용
- 충분한 가치가 있는 중요한 문헌
- 최근 발표된 문헌
- 연구자가 아닌 연구내용을 인용
- 원저자의 의도를 벗어나지 않도록 함
- 계획에 따라 엄격히 관리된 근거수준이 높은 연구부터 인용
- 직접인용은 1차 정보원에 한함. (논문의 재인용은 피하는 것이 좋음)
- 출간되지 않은 연구나 초록은 좋지 않음
- 전문가 심사 (peer review) 학술지의 문헌이 가장 좋음

Jennifer Peat. 알면 쉬워지는 의학논문
작성법. 서울 : 군자출판사, 2012









인용원칙, 2



- 서론과 고찰에 인용을 많이 함 -> 포괄적인 인용보다는 구체적, 선택적으로 문헌을 인용하는 것이 좋음
- 참고문헌의 수는 20개-35개 (review) 정도
- 투고규정에 제한을 두는 학술지도 있음
- 학술지 투고규정에서 제시하는 참고문헌 표기양식에 따라 작성

참고문헌의 오류

- 논문의 질을 저하
- 논문을 참고하는 연구자들이 번역하고 인용하는 과정에서 실수를 영구화함
- 논문속의 잘못된 인용된 문헌이 존재하면 학술지 및 저자의 명성에 손상을 줌
- 참고문헌은 E-journal 시대 세상과의 소통 도구
- 책임 : 저자, 편집인
















**참고문헌은
세상과의 소통도구**



















Powered by  

References

[Go to:](#)

1. Szczeklik A, Nizankowska-Mogilnicka E, Sanak M. Hypersensitivity to aspirin and non-steroidal anti-inflammatory drugs. In: Adkinson NF Jr, Bochner BS, Busse WW, Holgate ST, Lemanske RF Jr, Simons FER. Middleton's allergy: principles and practice. 7th ed. New York: Mosby; 2009. pp. 1227-1240.
2. Stevenson DD. Aspirin sensitivity and desensitization for asthma and sinusitis. *Curr Allergy Asthma Rep* 2009;9:155-163.
  CrossRef에 deposit하는 논문
3. Jenkins C, Costello J, Hodge L. Systematic review of prevalence of aspirin induced asthma and its implications for clinical practice. *BMJ* 2004;328:434.
 
4. McDonald JR, Mathison DA, Stevenson DD. Aspirin intolerance in asthma. Detection by oral challenge. *J Allergy Clin Immunol* 1972;50:198-207.
  PubMed 학술지의 논문
5. Weber RW, Hoffman M, Raine DA Jr, Nelson HS. Incidence of bronchoconstriction due to aspirin, azo dyes, and preservatives in a population of perennial asthmatics. *J Allergy Clin Immunol* 1979;64:52-57.
 
6. Delaney JC. The diagnosis of aspirin idiosyncrasy by analgesic challenge. *Clin Allergy* 1976;6:177-181.
 
7. Berges-Gimeno MP, Simon RA, Stevenson DD. The natural history and clinical characteristics of aspirin-exacerbated respiratory disease. *Ann Allergy Asthma Immunol* 2002;89:474-478.
 
8. Szczeklik A, Nizankowska E, Duplaga M. AIAE Investigators. European Network on Aspirin-Induced Asthma. Natural history of aspirin-induced asthma. *Eur Respir J* 2000;16:432-436.
 
9. Samter M, Beers RF Jr. Intolerance to aspirin. Clinical studies and consideration of its pathogenesis. *Ann Intern Med* 1968;68:975-983.


Powered by  

Korean Circulation Journal

[www.korcircorj.kr](#)

Aims and Scope | Instructions for Authors | Online Submission

Journal List > Korean Circ J > v.38(7); Jul 2008



[Abstract](#) [Full Text](#) [PDF](#) [Links](#) [Crossref](#) [Journal](#) [Web site](#) [Email](#) [Citation](#)

Korean Circ J. 2008 Jul;38(7):343-350.
Published online 2008 July 31; doi: 10.4070/kcj.2008.38.7.343
Copyright © 2008 The Korean Society of Cardiology

Measurements of Arterial Stiffness: Methodological Aspects

Moo Yong Rhee, MD^{1,2} Hae Young Lee, MD² and Jeong Gae Park, MD³
¹Department of Internal Medicine, Dongguk University College of Medicine, Gyeongju, Korea.
²Department of Internal Medicine, Seoul National University Hospital, Seoul, Korea.
³Department of Medicine/Cardiology, Chon General Hospital, Kwangju University College of Medicine, Seoul, Korea.



*Correspondence: Moo Yong Rhee, MD, Department of Internal Medicine, Cardiovascular Center, Dongguk University International Hospital, 814 Bosa-dong, Ilsandong-gu, Goyang 410-773, Korea. Tel: 82-31-961-7125, Fax: 82-31-961-7785, Email: mooyong_rhee@dongu.org

• This article has been cited by 5 articles in  
• This article has been cited by 2 articles in 

Abstract

A significant association between increased arterial stiffness and the development of cardiovascular disease has led to the increased use of arterial stiffness in the clinical assessment of cardiovascular risk. However, the assessment methods that are used have unique advantages for arterial stiffness measurement and reproducibility. Measurements of arterial stiffness are a predictor of cardiovascular risk in hypertensive subjects.

Measurements of Arterial Stiffness: Methodological Aspects
Rhee MY, Lee HY, Park JG.
Korean Circ J. 2008 Jul;38(7):343-350. Published online 2008 Jul 31; doi: 10.4070/kcj.2008.38.7.343.

Is Cited by the Following Articles in  

1. Measurement of Arterial Stiffness as a Predictor of Cardiovascular Risk in Hypertensive Subjects. *Korean Circ J* 2009;39:103-110. doi: 10.4070/kcj.2009.39.1.103.
2. Effects of Acute Resistance Exercise on Arterial Stiffness in Young Men. *Yonsei Med J* 2010;55:100-105. doi: 10.3349/ymj.2010.55.1.100.
3. Normal Versus Abnormal Central Blood Pressure in the Korean Population. *Korean Circ J* 2010;40:103-110. doi: 10.4070/kcj.2010.40.1.103.
4. The Value of Brachial Arterial Pulse Velocity as a Predictor of Coronary Artery Disease in High-Risk Patients. *Korean Circ J* 2010;40:111-117. doi: 10.4070/kcj.2010.40.1.111.
5. Effects of Physical Activity and Aerobic Exercise Capacity on Arterial Stiffness in Patients With Uncontrolled Hypertension. *Korean Circ J* 2010;40:118-125. doi: 10.4070/kcj.2010.40.1.118.

참고문헌을 통해 "Cited by" 기능 구현
:내 논문을 인용하는 논문이 어떤 것들인지 확인할 수 있음
CrossRef에 deposit하는 논문들이 인용하는 것을 반영(Synapse에 있는 논문들이 인용하는 것 포함)
KoreaMed 논문들이 인용하는 것을 반영

http://www.xmlink.kr/zb_xe/?mid=News&search_target=title&search_keyword=cited&page=2&division=-4198&document_srl=1362&listStyle=&cpage=6

참고문헌의 오류

5. Campbell, K. L., Ash, S., & Bauer, J. D. (2008). The impact of nutrition intervention on quality of life in pre-dialysis chronic kidney disease patients. *Clinical Nutrition*, 27, 537-544. <http://dx.doi.org/10.1016/j.clnu.2008.05.002>
6. Cohen, S. D., Patel, S. S., Khetpal, P., Peterson, R. A., & Kimmel, P. J. (2007). Pain, sleep disturbance, and quality of life in patients with chronic kidney disease. *Clinical Journal of the American Society of Nephrology*, 2, 919-925. <http://dx.doi.org/10.2215/CJN.00820007>
7. Devins, G. M., Mendelsohn, D. C., Barre, P. E., & Binik, Y. M. (2003). Pre-dialysis psychoeducational intervention and coping styles influence time to dialysis in chronic kidney disease. *American Journal of Kidney Diseases*, 42, 693-703. [http://dx.doi.org/10.1016/S0272-6386\(03\)00832-7](http://dx.doi.org/10.1016/S0272-6386(03)00832-7)
8. Dinwiddie, L. C., Burrows-Hudson, S., & Peacock, E. J. (2006). Stage 4 chronic kidney disease: Preserving kidney function and preparing patients for stage 5 kidney disease. *American Journal of Nursing*, 106(9), 40-51.
9. Frank, A., Auslander, G. K., & Weissgarten, J. (2003). Quality of life of patients with end-stage renal disease at various stages of the illness. *Social Work in Health Care*, 38(2), 1-27.
10. Hoth, K. F., Christensen, A. J., Ehlers, S. L., Raichle, K. A., & Lawto, W. J. (2007). A longitudinal examination of social support, agreeableness and depressive symptoms in chronic kidney disease. *J Behav Med* 2007;30(1):69-76. <http://dx.doi.org/10.1007/s10865-006-9083-2>
11. Kalender B, Ozdemir AC, Dervisoğlu E, Ozdemir O. Quality of life in chronic kidney disease: Effects of treatment modality, depression, malnutrition and inflammation. *Int J Clin Pract* 2007;61:569-576. <http://dx.doi.org/10.1111/j.1742-1241.2006.01251.x>
12. Kim HW, Choi-Kwon S. Study on knowledge levels of pre-dialysis, chronic renal failure patients at glomerular filtration rates and their educational demands. *J Korean Biol Nurs Sci* 2010;12(2):114-126.
13. Kim JM. Comparison quality of life and the factors affecting on QOL between hemodialysis and peritoneal dialysis patients. Seoul: Seoul National University; 2009. Unpublished master's degree dissertation
14. Kim YH. Clinical nutrition guide for health-provider. Seoul: Gwangmungag; 2000.
15. Kohatsu W. Nutrition and depression. *Explore (NY)* 2005;1:474-476. <http://dx.doi.org/10.1016/j.explore.2005.08.017>
16. Krupp LB, LaRocca NG, Muir-Nash J, Steinberg AD. The fatigue severity scale. Application to patients with multiple sclerosis and systemic lupus erythematosus. *Arch Neurol* 1989;46:1121-1123. <http://dx.doi.org/10.1001/archneur.1989.00520480115022>
17. Lee HM, Ryu SA, Kim EA, Jang KS. Factors influencing sleep disorders in patients on hemodialysis. *J Korean Acad Fundam Nurs* 2009;16(2):190-199.
18. Lee YP. Relationship between depression and quality of sleep in peritoneal dialysis patients. Busan: Kosin University; 2006. Unpublished master's thesis
19. Oliveira, C. M., Kubrusly, M., Mota, R. S., Silva, C. A., & Oliveira, V. N. (2010). Malnutrition in chronic kidney failure: What is the best diagnostic method to assess? *Brazilian Journal of Nephrology*, 32(1), 55-68. <http://dx.doi.org/10.1590/S0101-28002010000100011>
20. Park, J. S. (2003). Literature review for biobehavioral nursing research. *Journal of Nursing Inquiry*, 12(2), 41-57. JID: 9005
21. Pugh-Clarke, K., Naish, P. E., & Mercer, T. M. (2006). Quality of life in chronic kidney disease. *Journal of Renal Care*, 32, 156-159.
22. Pavlakis, M. (2011). A cross-sectional study of fatigue and sleep quality before and after kidney transplantation. *Clinical Transplantation*, 25(1), E13-E21. <http://dx.doi.org/10.1111/j.1399-0012.2010.01326.x>
23. Snyder-Halpern, R., & Verran, J. A. (1987). Instrumentation to describe subjective sleep characteristics in healthy subjects. *Research in Nursing & Health*, 10, 155-163. <http://dx.doi.org/10.1002/nur.4770100307>
24. The Korean Society of Nephrology. (2010). Renal replacement therapy in Korea. *Korean Journal of Nephrology*, 25, 381-404.
25. Long, A., Sainsbury, P., Chadban, S., Walker, R. G., Harris, D. C., Carter, S. M., et al. (2009). Patient experiences and perspectives of living with chronic kidney disease. *American Journal of Kidney Diseases*, 53, 689-700.

10. Hoth KF, Christensen AJ, Ehlers SL, Raichle KA, Lawto WJ. A longitudinal examination of social support, agreeableness and depressive symptoms in chronic kidney disease. *J Behav Med* 2007;30(1):69-76. <http://dx.doi.org/10.1007/s10865-006-9083-2>
11. Kalender B, Ozdemir AC, Dervisoğlu E, Ozdemir O. Quality of life in chronic kidney disease: Effects of treatment modality, depression, malnutrition and inflammation. *Int J Clin Pract* 2007;61:569-576. <http://dx.doi.org/10.1111/j.1742-1241.2006.01251.x>
12. Kim HW, Choi-Kwon S. Study on knowledge levels of pre-dialysis, chronic renal failure patients at glomerular filtration rates and their educational demands. *J Korean Biol Nurs Sci* 2010;12(2):114-126.
13. Kim JM. Comparison quality of life and the factors affecting on QOL between hemodialysis and peritoneal dialysis patients. Seoul: Seoul National University; 2009. Unpublished master's degree dissertation
14. Kim YH. Clinical nutrition guide for health-provider. Seoul: Gwangmungag; 2000.
15. Kohatsu W. Nutrition and depression. *Explore (NY)* 2005;1:474-476. <http://dx.doi.org/10.1016/j.explore.2005.08.017>
16. Krupp LB, LaRocca NG, Muir-Nash J, Steinberg AD. The fatigue severity scale. Application to patients with multiple sclerosis and systemic lupus erythematosus. *Arch Neurol* 1989;46:1121-1123. <http://dx.doi.org/10.1001/archneur.1989.00520480115022>
17. Lee HM, Ryu SA, Kim EA, Jang KS. Factors influencing sleep disorders in patients on hemodialysis. *J Korean Acad Fundam Nurs* 2009;16(2):190-199.
18. Lee YP. Relationship between depression and quality of sleep in peritoneal dialysis patients. Busan: Kosin University; 2006. Unpublished master's thesis
19. Oliveira, C. M., Kubrusly, M., Mota, R. S., Silva, C. A., & Oliveira, V. N. (2010). Malnutrition in chronic kidney failure: What is the best diagnostic method to assess? *Brazilian Journal of Nephrology*, 32(1), 55-68. <http://dx.doi.org/10.1590/S0101-28002010000100011>

II. 참고문헌 작성법

참고문헌 작성

- 참고문헌은 인용한 논문의 지적 권리 인정, 감사를 전하는 뜻, 윤리적 문제, 표절에 대한 방어
- 논문작성에 참고한 정보의 출처를 "참고문헌"에서 상세하고 정확하게 전달
- 투고규정(Guide for Authors) 준수
- 참고문헌의 정확성: PubMed, KoreaMed DB 활용(철회논문 확인 가능)
- 직접입력보다는 데이터베이스에서 서지사항을 copy 사용 -> text 파일활용, 오타를 줄임

참고문헌 작성

- 학위논문의 경우 학술지 발행여부를 확인하여 학술지로 인용
- 웹 자원: 실제로 획득한 년월일_접속일을 정확히 기재 (Accessed 접속일자, Retrieved 접속일자 등으로 기재)
- 권, 호, 페이지가 결정되지 않은 경우의 E-Pub 논문은 DOI 정보를 기재

참고문헌 작성

- 서지관리프로그램 활용
 - Endnote, Refworks, Zotero 등을 활용한 word 파일로 제출
- 학회 홈페이지내 Output style 활용
- http://www.kamje.or.kr/sub_page.php?sub_page=endnote_output-members
- 학회 Template 활용

가장 뛰어난 석공은
가장 좋은 도구를
가진 사람이다

서지관리 프로그램의 활용: PubMed-> Endnote

The screenshot shows a web browser window displaying a PubMed article. The article title is "Dual color multiplex TTF-1 + Napsin A and p63 + CK5 in subcategorizing of poorly differentiated pulmonary non-small cell carcinoma and squamous cell carcinoma in fine needle aspiration (FNA) specimens." The authors are Sethi S, Geng L, Shidham VB, Archuleta P, Bandopadhyay S, Feng J, Madan S, Shi D. The abstract discusses the use of dual color immunostaining for diagnosing lung adenocarcinoma and squamous cell carcinoma in FNA specimens. A 'Send to' menu is open, showing options: File, Collections, Order, Citation manager (highlighted with a red box), Clipboard, E-mail, and My Bibliography. Below the menu, there are links to 'Generate a file for use with external citation management software' and 'Download 1 citation', with a 'Create File' button highlighted by a red box.

RISS에서 레코드 내려받기-> Endnote

The screenshot shows the RISS (Research Information Service System) website. The search results for the article "호스피스 병동과 일반병동의 말기암환자의 간호" (A Comparison of Nursing Interventions with Terminal Units) are displayed. The article details include author, journal, volume, issue, year, and keywords. The "내보내기" (Export) button is highlighted in a red box.


On the right, the "서지 정보 내보내기 (export)" (Export Bibliography Information) window is open. It shows two steps: 1. Select the export format (EndNote, RefWorks, etc.), and 2. Select the export type (Bibliography, Abstract, etc.). The "EndNote" option is selected. Below the window, the "Filters" window is shown, listing various filters for EndNote, with "EndNote X3" selected.

ScienceDirect 에서 레코드 내려받기-> Endnote


The screenshot shows the ScienceDirect website. The article "Inflammation, Endothelial Cell Activation, and Coronary Microvascular Dysfunction in Women With Chest Pain and No Obstructive Coronary Artery Disease" is displayed. The article details include authors, journal, volume, issue, year, and keywords. The "Export citation" button is highlighted in a red box.

Below the article details, a yellow box contains the text: "DB에 따라 Export 명칭은 조금씩 상이함" (Export names vary slightly by database). The "Elsevier" logo is also visible.


EndNote 서지관리 프로그램과 Ms Word 연동 방법



EndNote 서지관리 프로그램과 Ms Word 연동 방법



APA -> Vancouver Style로 변환



III. References Style에 따른 참고문헌 작성사례

Vancouver Style 중심으로

Vancouver Style

- Vancouver Style = 생의학 학술지 투고 원고의 통일양식
- URM = Uniform Requirements for Manuscripts Submitted to Biomedical Journals
- 1978년 종합의학학술지 편집인 몇 사람이 Vancouver에서 비공식 모임을 가짐
 - 학술지에 투고하는 원고의 형식과 지침 개발
 - NLM이 개발한 참고문헌 형식 포함
 - 1979년 통일양식으로 출판
 - 최근 2010년 4월 개정



- Vancouver Group > ICMJE(International Committee of Medical Journal Editors)로 발전
- 참고문헌의 기재양식은 NLM 데이터베이스가 채택하고 있는 미국국립표준청(ANSI: American National Standards Institute) 체제에 기초
- Style Guide - NLM's Citing Medicine, 2nd edition 바로가기

Vancouver Style vs APA Style

• APA Style	• Vancouver(NLM) Style
• 미국심리학회 (American Psychological Association) 형식	• ICMJE
• Humanity, Social Science	• Medicine
• 학문적 성과를 다룬 시점을 중시	• 빠른 학술정보 유통
• 본문인용 : Author, Date	• 본문인용 : Numbered

Vancouver Style vs APA Style

• APA Style	• Vancouver(NLM) Style
• 참고문헌: 저자의 알파벳 순	• 참고문헌 : 인용된 순서에 의해 번호를 부여
• 저널명: Full Name	• 저널명: 약어명
• 지면을 더 많이 차지함	• PubMed나 PubMed Central의 참고문헌을 그대로 가져다 쓸 수 있음->
• 저자가 인명이 아닌 경우 표기 어려움	• 저자의 수고를 덜어줌
• DB문헌 가공시에 시간과 인력 투자가 많이 필요	• 독자 : 번호 -> 참고문헌에 번호로 접근
• 독자: 저자명과 연도 -> 참고문헌 찾을	

Vancouver Style vs APA Style

• APA Style

... effect have emerged recently (Caumo, 2000). They have reported that lithium bloced apoptosis induced by low potassium c.....cerebella granule neuronal culture. Nonaka and Chuang (Nonaka, 2012) have ...

Caumo, W., Broenstrub, J. C., Fialho, L., Petry, S. M., Brathwait, O., Bandeira, D., et al. (2000). Risk factors for postoperative anxiety in children. *Acta Anaesthesiologica Scandinavica*, 44, 782-789.

저자명, ... , 저자명, et al. (출판연도). 논문명. 학술지명, 권(호), 페이지.

• Vancouver Style

... effect have emerged recently (5-7). D'Mello et al. (5) have reported that lithium bloced apoptosis induced by potassium concentration in mature cerebella granule neuronal culture. Nonaka and Chuang (7) have ...

6) Caumo W, Broenstrub JC, Fialho L, Petry SMG, Brathwait O, Bandeira D, et al. Risk factors for postoperative anxiety in children. *Acta Anaesthesiol Scand*. 2000;44:782-9.

저자 AA, ... , 저자 FF, et al. 논문명. 학술지명. 출판연도;권(호):페이지

본문의
인용주

참고문헌

1. 본문 인용주 작성 방법

인용주 작성 방법

- 괄호(), [] 또는 위첨자로 표시
- 동시에 여러 개의 번호가 들어갈 경우에는 ' '로 구분
- 연속된 번호의 참고문헌을 인용할 경우에는 '-'로 연결
- 하나의 참고문헌이 논문 내에 계속 인용될 때에는 같은 번호 사용

인용주 작성사례

trials in advanced NSCLC, improved response rates for one regimen over another failed to result in improved survival^{16,17}, but disease control rate resulted in prolonged survival¹⁸. Furthermore, a pooled

PFS improvement in the population with an *EGFR* activating mutation (Table 1), but which had no OS benefit (LUX-Lung 3 has not yet reported OS)^{3,29-35}.

2. 참고문헌 작성방법

학술지 참고문헌 작성방법

1. 저자 - 6인까지 기재하고 'et al.' 기입.
 - 영어인명 : '성과 이름(약자)'으로 기입.
 - 한국인명 : '성 이름(처음자 대문자)'로 기입. (예 : 오상은 > Oh SE)
2. 논문명 - 인용부호를 사용하지 않고, 고유명사와 처음문자를 대문자로 기입
3. 학술지명 - index Medicus의 표준화된 약어(Abbreviation)로 기재 (없을 경우 전체 기입)
4. 출판연도, 권(Volume) - ';'으로 구분
5. 호(No.) - ()로 기입
6. 페이지 - 처음과 마지막 페이지 기입

<참고>

▶ **APA Style** : 저자명, ... , 저자명, et al. (출판연도). 논문명. 학술지명, 권(호), 페이지.

Caumo, W., Broenstrub, J. C., Fialho, L., Petry, S. M., Brathwait, O., Bandeira, D., et al. (2000). Risk factors for postoperative anxiety in children. *Acta Anaesthesiologica Scandinavica*, 44, 782-789.

Caumo W, Broenstrub JC, Fialho L, Petry SMG, Brathwait O, Bandeira D, et al. Risk factors for postoperative anxiety in children. *Acta Anaesthesiol Scand*. 2000;44:782-9.

▶ **Vancouver Style** : 저자 AA, ... , 저자 FF, et al. 논문명. 학술지명. 출판연도;권(호):페이지.

학술지-저자명

1. 공동연구자간의 구분은 ‘,’로, 논문제목과의 구분은 ‘:’로 기입
2. 공동연구자는 6인까지 기재하고 7인 이상은 ‘et al.’로 생략 (Ex 2.)
3. 성격을 달리하는 연구자는 ‘:’으로 구분 기입 (Ex 3.)
4. 저자가 없는 경우 논문명을 주 번호 다음에 바로 기입 (Ex 4.)

▶ Ex 1. 저자가 1인

Ku G. Learning to de-escalate: The effects of regret in escalation of commitment. *Organ Behav Hum Decis Process*. 2008;105(2):221-232.

▶ Ex 2. 저자가 6인 이상

Caumo W, Broenstrub JC, Fialho L, Petry SMG, Brathwait O, Bandeira D, et al. Risk factors for postoperative anxiety in children. *Acta Anaesthesiol Scand*. 2000;44:782-789.

▶ Ex 3. 개인 저자와 단체가 혼합

Orchard TJ, Temprosa M, Goldberg R, Haffner S, Ratner R, Marcovina S, Fowler S; Diabetes Prevention Program Research Group. The effect of metformin and intensive lifestyle intervention on the metabolic syndrome: the Diabetes Prevention Program randomized trial. *Ann Intern Med*. 2005 Apr 19;142(8):611-9.

▶ Ex 4. 저자가 없는 경우

Pelvic floor exercise can reduce stress incontinence. *Health News*. 2005 Apr;11(4):11.

학술지-논문명과 학술지명

1. ‘논문명: 부제(부제가 있는 경우). 학술지명’의 형식으로 기입
2. 논문제목은 논문제목의 처음자와 고유명사 이외는 소문자로 기입
 - 부제의 처음자도 소문자로 기입
3. 영어로 된 학술지명은 고유명사로 간주. 단어의 처음자를 모두 대문자로 기입
4. 학술지명을 Abbreviation으로 표기

▶ Vancouver Style

Grap MJ, & Munro CL. Preventing ventilator-associated pneumonia: evidence-based care. *Crit Care Nurs Clin North Am*. 2004;16:349-358.

▶ APA Style

Grap, M. J., & Munro, C. L. (2004). Preventing ventilator-associated pneumonia: evidence-based care. *Critical Care Nursing Clinics of North America*, 16, 349-358.

학술지 - 권, 호, 페이지수

1. 호별 페이지수

- 1) 주간지, 일간지 - 2005 Jul 8;309(5732):244-5 '출판연도 월 일;권(호):페이지수 '
- 2) 월간지 - 2005 Nov;58(11):1175-9. '출판연도 월;권(호):페이지수 '
- 3) 계간지 - 2004 Fall;10(2):17-20. '출판연도 계절명;권(호):페이지수 '

2. 권별 페이지수 (출판연도;권:페이지수)

- 1) Supplement - 2005 Jan;102 Suppl:293-6.
- 2) Part 구분 - 1990 Sep;(Pt 2):1-145

3. 페이지수

- 1) 처음 페이지는 완전한 숫자를, 끝 페이지는 앞부분의 중복되는 숫자를 생략
예) :1-15. :773. :253-6. :147-59. :79-80. :305-6. :698-701. :IV-VI.

▶ Vancouver Style

Barton-Burke M, Smith E, Frain J, Loggins C. Advanced cancer in underserved populations. *Semin Oncol Nurs*. 2010 Aug;26(3):157-67.

▶ APA Style

Barton-Burke, M., Smith, E., Frain, J., & Loggins, C. (2010). Advanced cancer in underserved populations. *Seminars in oncology nursing*, 26(3), 157-167.

단행본

1. 단행본자료의 서지사항은 위치에 따라 다를 수 있음.
- 주나 참고문헌의 근거를 표제지로 함. 표제지에 없는 사항은 판권지나 기타 순.
2. 개인명 : 성 이름(약어)로 기재
3. 단체명 - 단체명만으로 식별되지 않을 때는 '상위단체명, 하위단체명'의 형식으로 기입
4. 저자명 - 6인은 '로 구분. 7인 이상은 생략 'et al.'
5. 도서명 - '서명:부서명'의 형식
6. 개정판의 판차 기재
7. 출판사항 - '출판지: 출판사; 출판연도'의 형식으로 기재

<참고>

▶ APA Style : 저자(출판연도). 제목(판). 출판도시: 출판사 이름. 순

Nunnally, J., & Bernstein, I. (1994). *Psychometric theory* (3rd ed.). New York: McGraw-Hill Inc.

Nunnally J, Bernstein I. *Psychometric theory*. 3rd ed. New York: McGraw-Hill Inc; 1994

▶ Vancouver Style : 저자 AA,... ,저자 FF, et al. 도서명. 판차. 출판지:출판사; 출판연도.

참고사이트

저널의 약어명 확인 :

<http://www.ncbi.nlm.nih.gov/nlmcatalog/journals>

http://www.kamje.or.kr/sub_page.php?sub_page=Abbreviations

NLM style : Citing Medicine, 2nd ed.

<http://www.ncbi.nlm.nih.gov/books/NBK7256/?redirect-on-error=HOME&depth=2>

대한의학학술지 투고규정 모음

http://www.kamje.or.kr/sub_page.php?sub_page=link_authorinfo1